



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/007,177	12/05/2001	Stephen Craig Dyar	5962-01-CA	5683
28880	7590	11/18/2004		
WARNER-LAMBERT COMPANY 2800 PLYMOUTH RD ANN ARBOR, MI 48105				
			EXAMINER YOUNG, MICAH PAUL	
			ART UNIT 1615	PAPER NUMBER

DATE MAILED: 11/18/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/007,177

Applicant(s)

DYAR ET AL.

Examiner

Micah-Paul Young

Art Unit

1615

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 04 July 2004.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 17-21 and 23-25 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 17-21 and 23-25 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

Acknowledgment of Papers Received: Request for Continued Examination dated 07/02/04.

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all

obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

3. Claims 17-21, and 23-25 are rejected under 35 U.S.C. 103(a) as being unpatentable over the combined disclosures of Aguadisch (EP 0 891 769 hereafter 769) and Bar-Shalom et al (USPN 5,618,560 hereafter '560). The claims are drawn to a method of making a pharmaceutical dosage form by co-extrusion.

4. The '769 patent discloses a method of co-extruding pharmaceutical dosage forms where the first components comprises silicone and the second water-soluble polymers (abstract). The first composition acts as a covering for the second composition, which contains a pharmaceutical agent (pg. 5, lin. 27 – 56). The dosage form is co-extruded using a twin-screw extruder (figures). The operating temperature is as high as 110°C (pg. 3, lin. 26). The dosage forms are cut with a knife (pg. 6, lin. 3-14). However, the reference is silent to a cooling step.

5. The '560 patent discloses methods for creating extruded dosage forms with impervious outer layers and water-soluble inner cores (abstract). The dosage forms can be co-extruded (col.

Art Unit: 1615

12, lin. 47 – 65). The cores are molten due to the high operating temperature of the extrusion process. The dosage forms are allowed to cool, before being cut, in order to allow for an easier and more even cut (examples).

6. Regarding the limitation that the dosage forms are cut with a laser, it is the position of the examiner that such a limitation does not impart patentability on the claims. Barring a showing of criticality to a laser cutting step, and a showing a patentable distinction over dosage forms cut with a laser, the claims will remain obviated by the prior art.

7. With these things in mind, one of ordinary skill in the art would have been motivated to add the cooling step of '560 to the co-extrusion process of '769 in order to make better cuts of dosage forms. It would have been obvious to do so with an expected result of a co-extruded, evenly cut dosage form.

Response to Arguments

8. Applicant's arguments with respect to claims 17-21, and 23-35 have been considered but are moot in view of the new ground(s) of rejection.

Correspondence

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Micah-Paul Young whose telephone number is 571-272-0608.

The examiner can normally be reached on M-F 7:00-4:30 every other Monday off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thurman K. Page can be reached on 571-272-0602. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 1615

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Micah-Paul Young
Examiner
Art Unit 1615

MP Young

THURMAN K. PAGE
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 1600